EXISTING CONDITIONS:

BUILDING FOOTPRINT:

PAVEMENT AREAS:

TOTAL IMPERVIOUS:

TOTAL PERVIOUS:

PROPERTY AREA:

PROPOSED CONDITIONS:

BUILDING FOOTPRINT: PAVEMENT AREAS:

TOTAL IMPERVIOUS:

130,696

TOTAL PERVIOUS:

LAND AREA:



NOT TO SCALE

GENERAL NOTES:

2.1 ALL GROUND MOUNTED MECHANICAL UNITS SHALL BE SCREENED IN ACCORDANCE WITH SECTION 20-14AO4.

2.2 ALL ACCESSIBLE SIDEWALK RAMPS BY A.D.A. STANDARDS.

2.3 SITE PLAN HAS BEEN DESIGNED TO COMPLY WITH THE PROVISIONS OF THE AMERICANS WITH DISABILITIES ACT ACCESSIBILITY GUIDELINES (ADAAG) FOR BUILDINGS AND FACILITIES, APPENDIX A TO 28CFR PART 36.

2.4 THE CITY OF LAWRENCE WILL NOT BE HELD RESPONSIBLE FOR DAMAGE CAUSED BY TRASH TRUCKS.

2.5 PLAN FOR CITY APPROVAL ONLY! CONSTRUCTION DOCUMENTS TO BE FURNISHED AT THE REQUEST OF OWNER.

2.6 INFORMATION TAKEN FROM SURVEY COMPLETED BY BG CONSULTANTS, AERIAL PHOTOS AND, AVAILABLE DOCUMENTS 2.7 ALL TRAFFIC CONTROL SIGNS PLACED ON PRIVATE PROPERTY OPEN TO THE GENERAL PUBLIC SHALL COMPLY WITH THE "MANUAL ON UNIFORMS TRAFFIC CONTROL DEVICES" AND "STANDARD HIGHWAY SIGNS." PUBLISHED BY THE FEDERAL HIGHWAY ADMINISTRATION. WITH

ANY PROPOSED EASEMENTS WILL BE DEDICATED BY SEPARATE INSTRUMENTS PRIOR TO THEIR CONSTRUCTION.

NEIGHBORHOOD RESOURCES.

2.10 PRIOR TO ISSUANCE OF A BUILDING PERMIT THE APPLICANT SHALL SUBMIT BUILDING ELEVATIONS, DEMONSTRATING COMPLIANCE WITH THE COMMERCIAL DESIGN GUIDELINES, AND A PHOTOMETRIC PLAN, PER SECTION 2-1103, FOR ADMINISTRATIVE REVIEW AND APPROVAL

2.11 ANY TENANT OR USE SHALL REQUIRE REVIEW REGARDING MAXIMUM GROSS SQUARE FEET ALLOWED PER ARTICLE 5 OF THE LAND DEVELOPMENT CODE. FUTURE TENANTS SHOULD BE ADVISED THAT IN MOST CASES THE MAXIMUM GROSS SQUARE FEET ALLOWED FOR AN

INDIVIDUAL USE IS 3,000 S.F.

2.12 ALL CURB INLETS WILL BE CONSTRUCTED PER CITY STORM SEWER STANDARD DETAILS.

2.13 PER CITY CODE SECTION 9-902, THE OUTDOOR DINING AREA WILL BE MANAGED TO PREVENT STORMWATER POLLUTION. FOOD WASTE, TRASH, CIGARETTES AND OTHER SOLID WASTES WILL BE COLLECTED AND DISPOSED OF PROPERLY. COLLECTION MUST BE FREQUENT ENOUGH TO PREVENT WASTES CARRIED OFF BY WIND OR STORMWATER RUNOFF. PAVEMENT AND FURNISHINGS MUST BE CLEANED FREQUENTLY ENOUGH TO PREVENT CONTAMINATION OF STORMWATER RUNOFF. FLUID WASTE, INCLUDING WASTEWATER FROM PAVEMENT OF FURNITURE CLEANING, WILL BE COLLECTED AND DISCHARGED TO THE SANITARY SEWER SYSTEM.

LANDSCAPING NOTES:

	SYM.	DESCRIPTION	<u>QTY.</u>	APPROVED TYPES	BOTANICAL NAMES	<u>SIZE</u>	COND.
\ \		EXISTING TREES	0	REFER TO SITE PLAN		REFER TO SITE	PLAN
	Se o	STREET TREES	29	SAW TOOTH OAK NORWAY MAPLE THORNLESS HONEY LOCUST	QUERCUS ACUTISSIMA ACER PLATANOIDES 'NORWEGIAN SUNSET' GLEDITSIA TRIACANTHOS VAR. INERMIS	2 /2" CAL	B≰B
		SHADE TREES	32	SHUMARD OAK SHANTUNG MAPLE FRONTIER ELM	QUERCUS SHUMARDII ACER TRUNCATUM ULMUS 'FRONTIER'	2 1/2" CAL	В∉В
		ORNAMENTAL TREES	30	CLEVELAND SELECT PEAR KOUSA DOGWOOD CORAL BURST CRABAPPLE EASTERN REDBUD	PYRUS CALLERYANA 'CHANTIELEER' CORNUS KOUSA MALUS 'CORALBURST' CERCIS CANADENSIS	1 3/4" CAL	B & B
		EVERGREEN TREES	22	WHITE PINE BLUE SPRUCE	PINUS STROBUS PICEA PUNGENS	6'-8' HT.	B∉B
	· •	DECIDUOUS SHRUBS	133	DWARF JAPANESE BARBERRY LEATHERLEAF VIBURNUM BEAUTY BUSH DWARF KOREAN LILAC	BERBERIS THUNBERGII 'CRIMSON PYGMY' VIBURNUM RHYTIDOPHYLLUM KOLKWITZIA AMABALIS SYRINGA MEYERI 'PALIBIN'	24" HT.	CONT
	*	EVERGREEN SHRUBS	134	BLUE PFITZER JUNIPER BAR HARBOR JUNIPER CREEPER ARMSTRONG CHINESE JUNIPER	JUNIPERUS CHINENSIS 'PFITZERIANA GLAUCA' JUNIPERUS HORIZONTALIS 'BAR HARBOR' JUNIPERUS CHINENSIS 'ARMSTRONGII'	24"- 36" HT.	CONT

4.1 THERE MUST BE A MIN. OF (2) SPECIES USED IN EACH CATEGORY.

4.2 ALL TURF AREAS TO BE SEEDED WITH K-31 FESCUE


4.3 STREET TREES (I PER 40 L.F. OF STREET FRONTAGE) 24TH PLACE - 688.031/40 = 18 TREES REQUIRED, 18 TREES PROVIDED INVERNESS DRIVE - 431.76'/40 = II TREES REQUIRED, II TREES PROVIDED CLINTON PARKWAY - 663.151/40 = 17 TREES REQUIRED, 17 TREES PROVIDED

INTERIOR PARKING LOT LANDSCAPING (40 SQ.FT. OF LANDSCAPED AREA PER PARKING SPACE & I SHADE TREE AND 3 SHRUBS PER 10 PARKING SPACES): PHASE I - BUILDING A, B AND F: 103 SPACES X 40 = 4,120 SQ.FT. OF REQUIRED LANDSCAPED AREA; PROVIDED 5,291 SQ.FT.

103 PARKING SPACES / 10 = 11 TREES AND 31 SHRUBS REQUIRED; PROVIDED 11 TREES AND 31 SHRUBS <u>PHASE II - BUILDING C, D AND E</u>: 120 SPACES X 40 = 4,800 SQ.FT. OF REQUIRED LANDSCAPED AREA; PROVIDED 5,351 SQ.FT. 120 PARKING SPACES / 10 = 12 TREES AND 36 SHRUBS; PROVIDED 12 TREES AND 36 SHRUBS

4.5 PARKING LOT PERIMETER LANDSCAPING 24TH PLACE BUILDING A&B: 196 L.F./25 = 8 TREES INVERNESS DRIVE BUILDING A&B: 346 L.F./25 = 14 TREES

EAST PROPERTY LINE - TYPE I - IO' WIDE = 522 L.F./IOO = 21 TREES AND 53 SHRUBS REQUIRED, 21 TREES AND 53 SHRUBS PROVIDED 24TH PLACE - TYPE I - 10' WIDE = 660 L.F./100 = 27 TREES AND 66 SHRUBS REQUIRED, DUE TO SPACE CONSTRAINTS 19 TREES ARE PROVIDED ALONG 24TH PLACE + AND EXTRA TREES WERE PROVIDED ALONG INVERNESS DRIVE TO MEET ALTERNATIVE COMPLIANCE, 67 SHRUBS PROVIDED INVERNESS DRIVE - TYPE I - 25' WIDE (65' WIDE PROVIDED) = 450 L.F./IOO = 9 TREES AND 23 SHRUBS REQUIRED, 39 TREES AND 23 SHRUBS PROVIDED





123 W. 8TH STREET SUITE B2 LAWRENCE, KS 66044

OFFICE: 785.832.0804 FAX: 785.832.0890 INFO@PAULWERNERARCHITECTS.COM

© PAUL WERNER ARCHITECTS, L.L.C. THIS DRAWING IS COPYRIGHTED WORK BY PAUL WERNER ARCHITECTS L.L.C. THIS DRAWING MAY NOT BE PHOTOGRAPHED TRACED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF PAUL

WERNER ARCHITECTS L.L.C.

2

PROJECT # 213-730

10.12.15 1.0 12.18.15 4.18.16 5.4.16 5.23.16

SUP -

PROVIDED: 40 SPACES

3.4 PAVEMENT:

3.2 CUSTOMER SERVICE AREA: BASED OFF 80% OF G.S.F AND WILL BE ADJUSTED WHEN A USER IS KNOWN.

'H' SPACES - 9' X 16.5' OR 18' (5' OR 9' AISLE)

THROUGHOUT SITE

SIDEWALKS SHALL BE 4" CONCRETE - 5' OR 6.5' WIDE DEPENDING UPON THE LOCATION.

7" - 4000 PSI CONCRETE W/ #5 BARS 12" O.C.B.W.

MIN. 6" ASPHALT ON 4" GRAVEL OR 5" CONCRETE

MIN. 5" ASPHALT ON 4" GRAVEL OR 4" CONCRETE

3.3 TYPICAL DIMENSIONS: 'R' SPACES - 9' X 18' (16.5' + 1.5' OVERHANG AT SIDEWALKS)

DRIVES:

PARKING AREAS:

CURB & GUTTER: